



MATERIAL SAFETY DATA SHEET FOR ORGANIC BONDED ABRASIVES

EC - Safety Data Sheet Reference: 205908 Version/Revision: 06/09/2007 Printing date: 15/02/2011

page 1 of 4

. Identification of	the substance/pre	naration and c	f the company/ur	dertaking:						
			in the company/ u							
1 Identification of the product: Cut-off wheels										
	METABO 63019200 50X2X6MM									
2 Use of the product:										
Organic bonded abrasives for grinding / cutting of different materials <b>.3 Company identification:</b>										
Company: Metabowerke										
Address: Metabo-Allee										
D-72622 Nürtingen Phone: 0049 7022 72-2401 Fax: 0049 7022 72 2897										
		12 2031								
E-mail: <u>HStreicher@m</u> -	etabo.de									
Emergency number:										
07022/72-0 9:00 - 17:00	) h									
See also section	8 and 16.		ons according to dire	ective 1999/45/EC.						
See also section 3. Composition/Infor	8 and 16. mation on Ingredie e following marking re EC Nr.	ents								
See also section  3. Composition/Infor  The product contains the	8 and 16. <b>mation on Ingredie</b> e following marking re	ents equired ingredie	ents as per 67/548/E	EC and 99/45/EC						
See also section  3. Composition/Infor  The product contains the	8 and 16. mation on Ingredie e following marking re EC Nr.	ents equired ingredie	ents as per 67/548/E Concentration	EC and 99/45/EC						
See also section 3. Composition/Infor The product contains the Name	8 and 16. mation on Ingredie e following marking re EC Nr. (ELINCS/EINECS)	ents equired ingredie CAS N°	ents as per 67/548/E Concentration range	EC and 99/45/EC Classification						
See also section	8 and 16. mation on Ingredie e following marking re EC Nr. (ELINCS/EINECS) 237-410-6 2621531	ents equired ingredie CAS N° 15096-52-3	ents as per 67/548/E Concentration range 9 - 14 %	EC and 99/45/EC Classification T,N,Xn ; R20/22/23/25/48/51/53/						
See also section	8 and 16. mation on Ingredie e following marking re EC Nr. (ELINCS/EINECS) 237-410-6 2621531 hrases see section 16)	ents equired ingredie CAS N° 15096-52-3	ents as per 67/548/E Concentration range 9 - 14 %	EC and 99/45/EC Classification T,N,Xn ; R20/22/23/25/48/51/53/						
See also section	8 and 16. mation on Ingredie e following marking re EC Nr. (ELINCS/EINECS) 237-410-6 2621531 hrases see section 16) 6	ents equired ingredie CAS N° 15096-52-3 60304-36-1	ents as per 67/548/E Concentration range 9 - 14 %	EC and 99/45/EC Classification T,N,Xn ; R20/22/23/25/48/51/53/						
See also section	8 and 16. mation on Ingredie e following marking re EC Nr. (ELINCS/EINECS) 237-410-6 2621531 hrases see section 16) 6 Not possible, Not possible,	ents equired ingredie CAS N° 15096-52-3 60304-36-1 due to the form due to the form	ents as per 67/548/E Concentration range 9 - 14 % 5 - 9 %	EC and 99/45/EC Classification T,N,Xn ; R20/22/23/25/48/51/53/						
See also section	8 and 16. mation on Ingredie e following marking re EC Nr. (ELINCS/EINECS) 237-410-6 2621531 hrases see section 16) 6 Not possible, Not possible, No harmful e	ents equired ingredie CAS N° 15096-52-3 60304-36-1 due to the form due to the form ffects known	ents as per 67/548/E Concentration range 9 - 14 % 5 - 9 %	EC and 99/45/EC Classification T,N,Xn ; R20/22/23/25/48/51/53/						





EC - Safety Data Sheet Reference: 205908 Version/Revision: 06/09/2007 Printing date: 15/02/2011

page 2 of 4

## 5. Fire Fighting Measures

Toxic fumes may occur. Use respiratory protective equipment.

Extinguishing media: water, foam, sand, powder or CO<sub>2</sub> as appropriate for surrounding materials

## 6. Accidental release measures

Not applicable.

# 7. Handling and Storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

## 8. Exposure Controls / Personal Protection

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

8.1. Occupational exposure limit values and/or biological limit values

Keep exposure to the following components under surveillance

(Observe also the regional official regulations)

Name	CAS Nr.	Specification	Concentration limits (daily average value)	Short term value	remarks
KRYOLITH	15096-52-3	TRGS 900	1,60 mg/m3	2,00	
KALIUMFLUOROALUMINAT	60304-36-1	TRGS 900	2,50 mg/m3	2,00	

Note: Hazardous dust of the workpiece material may be generated during grinding and/or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.

- 8.2. Exposure controls
- 8.2.1. Occupational exposure controls
- 8.2.1.1. Respiratory protection: Use respiratory protective equipment (type depends on specific application and material being ground)
- 8.2.1.2. Hand protection: Wear protective gloves
- (type depends on specific application and material being ground)
- 8.2.1.3. Eye protection: Wear protective goggles or face shield
- (type depends on specific application and material being ground) 8.2.1.4. Hearing protection: Use hearing protection
- (type depends on specific application and material being ground)
- 8.2.1.5. Body protection: Use protective clothing

(type depends on specific application and material being ground)





EC - Safety Data Sheet Reference: 205908 Version/Revision: 06/09/2007 Printing date: 15/02/2011

page 3 of 4

#### 9. Physical and Chemical Properties

- 9.1 Physical state:
- 9.2 Colour:9.3 Solubility in water:
- solid depending of product type not indicated

# **10. Stability and Reactivity**

Stability

Bonded Abrasives are stable when handled or stored correctly.

Reactivity

- 10.1 Conditions to avoid: No decomposition in normal use.
- 10.2 Materials to avoid: No dangerous reactions known.
- 10.3 Hazardous decomposition products: At temperatures exceeding 250° C hazardous or toxic decomposition products may be generated.

### **11.** Toxicological Information

No toxicological effects if inhaled or swallowed or with eye or skin contact are known. See also section 8.

### **12. Ecological Information**

- 12.2 Mobility:
- 12.3 Persistence and degradability:
- 12.4 Bioaccumulative potential:
- 12.5 Other hazardous effects:
- no effects known no potentials known no biodegradable potentials known no potentials known no effects known

### **13. Disposal Considerations**

13.1. Product

Follow national and regional regulations!

Due to the ingredients and properties disposal as non hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives. (EWC – Nr. 120121),

X Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC – Nr. 120120)

13.2. Packing Follow national and regional regulations!





EC - Safety Data Sheet Reference: 205908 Version/Revision: 06/09/2007 Printing date: 15/02/2011

page 4 of 4

# **14. Transport Information**

The product is not covered by international regulation on the transport of dangerous goods.

# 15. Regulatory Information

No specific labelling requirements under respective EC directives

### **16. Other Information**

R20 harmful on inhalation.

R21 harmful in contact with skin.

R22 harmful if swallowed.

R23 toxic on inhalation.

R25 toxic if swallowed.

R48 danger of serious damage to health by prolonged exposure.

R51 toxic to aquatic organisms.

R53 may cause long-term adverse effects in aquatic environment.

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: T-S-F

Contact: Harald Streicher