

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TECWERK Montagekleber Profi weiß

Revision: 07.07.2025

Product code: 2000353953

Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

TECWERK Montagekleber Profi weiß

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Adhesives and sealants

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Nordwest Handel AG	
Street:	Robert-Schuman-Straße 17	
Place:	D-44263 Dortmund/Deutschland	
Telephone:	+ 49 (0) 231 2222 3001	Telefax: + 49 (0) 231 2222 3099
E-mail:	info@nordwest.com	
E-mail (Contact person):	sdb@nordwest.com	
Internet:	www.nordwest.com	

##### 1.4. Emergency telephone number:

(GGIZ) Tel.: +49(0)361/730730 (24 h von Mo. – So.)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard statements

EUH208 Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.

##### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this mixture.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

###### Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane	0,1 - < 1 %
	220-449-8	
	014-049-00-0	
	01-2119513215-52	
	Flam. Liq. 3, Acute Tox. 4, Skin Sens. 1B; H226 H332 H317	
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	0,1 - < 1 %
	217-164-6	
	01-2119970215-39	
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1B, STOT RE 2; H332 H318 H317 H373	

Full text of H and EUH statements: see section 16.

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 2 of 10

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
2768-02-7	220-449-8	trimethoxyvinylsilane; trimethoxy(vinyl)silane	0,1 - < 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 3158 mg/kg; oral: LD50 = > 5000 mg/kg	
1760-24-3	217-164-6	N-(3-(trimethoxysilyl)propyl)ethylenediamine	0,1 - < 1 %
		inhalation: LC50 = 12,6 mg/l (vapours); inhalation: LC50 = 1,49 - 2,44 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 2413 mg/kg	

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

When in doubt or if symptoms are observed, get medical advice. Take off immediately all contaminated clothing and wash it before reuse.

**After inhalation**

Remove casualty to fresh air and keep warm and at rest. If unconscious but breathing normally, place in recovery position and seek medical advice. If experiencing respiratory symptoms: Call a doctor.

**After contact with skin**

Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap and water. In case of skin reactions, consult a physician.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

**After ingestion**

Rinse mouth thoroughly with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Get medical advice/attention if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Foam, Carbon dioxide (CO<sub>2</sub>), Dry extinguishing powder  
Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Pyrolysis products, toxic (Carbon monoxide, Carbon dioxide (CO<sub>2</sub>))

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 3 of 10

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

**For non-emergency personnel**

Provide adequate ventilation. Use personal protection equipment.

**For emergency responders**

Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.

**For cleaning up**

Take up mechanically, placing in appropriate containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

**Other information**

Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Keep away from: Food and feedingstuffs  
Protect from direct sunlight.

**Further information on storage conditions**

storage temperature: < 25°C

**7.3. Specific end use(s)**

Adhesives and sealants

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 4 of 10

**DNEL/DMEL values**

CAS No	Name of agent		
DNEL type	Exposure route	Effect	Value
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine		
Consumer DNEL, long-term	oral	systemic	2,5 mg/kg bw/day
Consumer DNEL, acute	inhalation	systemic	50 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	0,1 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	local	4 mg/m <sup>3</sup>
Consumer DNEL, acute	oral	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	8,7 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	35,5 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	5 mg/kg bw/day
Worker DNEL, long-term	inhalation	local	0,6 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	systemic	260 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	local	5,36 mg/m <sup>3</sup>

**PNEC values**

CAS No	Name of agent	
Environmental compartment	Value	
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	
Freshwater	0,062 mg/l	
Freshwater (intermittent releases)	0,62 mg/l	
Marine water	0,0062 mg/l	
Freshwater sediment	0,05 mg/kg	
Marine sediment	0,005 mg/kg	
Microorganisms in sewage treatment plants (STP)	25 mg/l	
Soil	0,009 mg/kg	

**Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls**



**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaustion at critical locations.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear eye protection/face protection. EN ISO 16321 (EN 166)

**Hand protection**

Wear suitable gloves. (EN ISO 374)

By long-term hand contact

Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of the glove material: > 0,4mm

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 5 of 10

Permeation time (maximum wear duration): > 120 min.

By short-term hand contact  
 Suitable material: NBR (Nitrile rubber)  
 Thickness of the glove material: > 0,4mm  
 Permeation time (maximum wear duration): > 480 min.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. (EN 14387) Filter type: A-P1

**Thermal hazards**

No information available.

**Environmental exposure controls**

Avoid release to the environment.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	solid (Paste)	
Colour:	diverse	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		Non-flammable.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic: (at 40 °C)		> 20,5 mm <sup>2</sup> /s
Water solubility:		practically insoluble
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density:		1,53 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not determined

**9.2. Other information**

No information available.

**SECTION 10: Stability and reactivity**

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 6 of 10

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Protect against: Heat, Frost

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Pyrolysis products, toxic (Carbon monoxide Carbon dioxide (CO<sub>2</sub>))

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane				
	oral	LD50 > 5000 mg/kg	Rat	Manufacturer	
	dermal	LD50 3158 mg/kg	Rabbit	Manufacturer	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine				
	oral	LD50 2413 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	Manufacturer	OECD 402
	inhalation (4 h) vapour	LC50 12,6 mg/l	Rat	Manufacturer	OECD 403
	inhalation (4 h) dust/mist	LC50 1,49 - 2,44 mg/l	Rat	Manufacturer	OECD 403

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 7 of 10

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

oral, Skin contact, Eye contact.

aerosol or mist formation: Inhalation

**11.2. Information on other hazards**

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Avoid release to the environment.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**List of Wastes Code - residues/unused products**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 8 of 10

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

- 14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

- 14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

- 14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

- 14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: < 2%

Information according to Directive

2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

**Additional information**

Observe in addition any national regulations!

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TECWERK Montagekleber Profi weiß

Revision: 07.07.2025

Product code: 2000353953

Page 9 of 10

#### Abbreviations and acronyms

Flam. Liq. 3: Flammable liquids, hazard category 3  
 Acute Tox. 4: Acute toxicity, hazard category 4  
 Eye Dam. 1: Serious eye damage, hazard category 1  
 Skin Sens. 1B: Skin sensitisation, hazard category 1B  
 STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2  
 CLP: Classification, Labelling and Packaging  
 REACh: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 EG/EWG: Europäische Gemeinschaft/Europäische Wirtschaftsgemeinschaft  
 EU: Europäische Union  
 CAS: Chemical Abstracts Service  
 M-Factor: Multiplication Factor  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute Toxicity Estimate  
 LC50: Lethal Concentration, 50%  
 LD50: Lethal Dose, 50%  
 LL50: Lethal Loading, 50%  
 EL50: Effect Loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-Concentration Factor  
 PBT: Persistent, Bioaccumulative, Toxic  
 vPvB: very Persistent, very Bioaccumulative  
 ADR: Accord européen sur le transport des marchandises Dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the International carriage of Dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises Dangereuses par voies de Navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 TI: Technical Instructions  
 DGR: Dangerous Goods Regulations  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 IE: Industrial Emissions  
 SVHC: Substance of Very High Concern

#### Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECWERK Montagekleber Profi weiß**

Revision: 07.07.2025

Product code: 2000353953

Page 10 of 10

EUH208 Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*