

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: **TECWERK Aceton 1L Dose, 5L Kanister**
Article number: (Art.Nr.: 2000355960, 2000355962)
CAS No.: 67-64-1
EC No 200-662-2
(EU Index No)
REACH registration number: 01-2119471330-49
UFI: XN2P-82HC-A00Q-G4J0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC9a - Coatings and paints, thinners, paint removers
PC 0.56 - Solvent

1.3. Details of the supplier of the safety data sheet

Supplier: NORDWEST Handel AG
Robert-Schuman-Str. 17
D - 44263 Dortmund
Telefon: +49 231/ 222 3001
+49 231/ 222 3099
www.nordwest.com

E-mail address sdb@nordwest.com

1.4. Emergency telephone number

Emergency Telephone: poisson center, Mainz, Tel. +49 6131/ 19 240 (24 h)

Emergency Telephone - §45 - (EC)1272/2008	
Austria	+43 1 406 43 43 (Giftinformationszentrale)
Belgium	Centre antipoisons / Antigif CentrumTel. +32 (0)70 245 245
Bulgaria	
France	Centre AntiPoison et de ToxicovigilanceTel. + 33 (0) 1 45 42 59 59
Italy	
Luxembourg	Poision Centre / Giftinformationszentrum(+352) 8002 5500
Netherlands	Nationaal Vergifingen Informatie Centrum (NVIC)Tel. +31 30 274 8888
Poland	Pomorskie Centrum ToksykologiiTel. +48 (0)586820404 / 112
Portugal	
Slovakia	
Spain	
Switzerland	Tox Info SuisseTel. 145, 24h oder +41 44 251 51 51
Hungary	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable liquids	Category 2 - (H225)
-------------------	---------------------

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
STOT Single Category 3 Statement	Category 3 Narcotic effects

2.2. Label elements



Signal word: **Danger**

Hazard components for labeling:

Contains Acetone

Hazard statements:

H225 - Highly flammable liquid and vapor.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

EU Specific Hazard Statements:

EUH066 - Repeated exposure may cause skin dryness or cracking.

Precautionary Statements - EU (§28, 1272/2008):

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P312 - Call a POISON CENTER or doctor if you feel unwell

P501 - Dispose of contents/ container to an approved waste disposal plant

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P370 + P378 - In case of fire: Use dry chemical, CO₂, water spray or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Additional information:

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

No information available.

PBT & vPvB: This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	CAS No.	EC No (EU Index No)	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Acetone	67-64-1	200-662-2 (606-001-00- 8)	01-2119471330-49	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	90 - 100

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

				(EUH066)	
--	--	--	--	----------	--

Acute Toxicity Estimate:
No information available.

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Remove to fresh air.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact:	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion:	Rinse mouth.
Self-protection of the first aider:	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	None.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians:	Treat symptomatically.
---------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media:	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Large Fire:	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media:	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical:	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated
---	--

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other information:

Ventilate the area.

For emergency responders:

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions:

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment:

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up:

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards:

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections:

See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Advice on safe handling:

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

General hygiene considerations: Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

7.3. Specific end use(s)

Other information: No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits:

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Acetone 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ STEL 2000 ppm STEL 4800 mg/m ³	TWA: 246 ppm TWA: 594 mg/m ³ STEL: 492 ppm STEL: 1187 mg/m ³	TWA: 600 mg/m ³ STEL: 1400 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Acetone 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ Sk*	TWA: 800 mg/m ³ Ceiling: 1500 mg/m ³	TWA: 250 ppm TWA: 600 mg/m ³ STEL: 500 ppm STEL: 1200 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 630 ppm STEL: 1500 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Acetone 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1000 ppm STEL: 2420 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ Peak: 1000 ppm Peak: 2400 mg/m ³	TWA: 1780 mg/m ³ STEL: 3560 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Acetone 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1500 ppm STEL: 3630 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 250 ppm TWA: 594 mg/m ³ STEL: 500 ppm STEL: 1187 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1000 ppm STEL: 2420 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Acetone 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1 ppm STEL: 2420 mg/m ³	TWA: 125 ppm TWA: 295 mg/m ³ STEL: 156.25 ppm STEL: 368.75 mg/m ³	TWA: 600 mg/m ³ STEL: 1800 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Acetone 67-64-1	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 750 ppm	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 2420 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

Chemical name	Sweden	Switzerland	United Kingdom	Russia	Türkiye
Acetone 67-64-1	NGV: 250 ppm NGV: 600 mg/m ³ Vägledande KGV: 500 ppm Vägledande KGV: 1200 mg/m ³	TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³ STEL: 1500 ppm STEL: 3620 mg/m ³	TWA: 200 mg/m ³ MAC: 800 mg/m ³	TWA: 500 ppm TWA: 1210 mg/m ³

Biological occupational exposure limits:

Chemical name	European Union	Germany DFG	Netherlands	Spain	United Kingdom	Hungary
Acetone 67-64-1	-	50 mg/L (urine - Acetone end of shift) 50 mg/L - BAT (end of exposure or end of shift) urine 2.5 mg/L - BAR (end of exposure or end of shift) urine		50 mg/L - urine (Acetone) - end of shift	-	

Chemical name	France	Italy MDLPS	Portugal	Finland	Denmark	Czech Republic
Acetone 67-64-1	- urine (Acetone) - end of shift	-	-			

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Acetone 67-64-1	-	50 mg/L - urine (Acetone) - end of shift 0.86 mmol/L - urine (Acetone) - end of shift	-	-	50 mg/L (urine - Acetone end of shift)	

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Acetone	1210 mg/m ³			2420 mg/m ³

Worker - dermal:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Acetone	186 mg/kg bw/day			

Consumer - inhalative:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Acetone	200 mg/m ³			

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

Consumer - dermal:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Acetone	62 mg/kg bw/day			

Consumer - oral:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Acetone	62 mg/kg bw/day			

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Acetone CAS: 67-64-1
Freshwater	10.6 mg/L
Marine water	1.06 mg/L
Freshwater (intermittent release)	21 mg/L
Sewage treatment	100 mg/L
Freshwater sediment	30.4 mg/kg sediment dw
Marine sediment	3.04 mg/kg sediment dw
Soil	29.5 mg/kg soil dw

8.2. Exposure controls

Engineering controls: Showers, eyewash stations, and ventilation systems.

Personal protective equipment: The usual precautionary measures for the handling of chemicals have to be observed.



Eye/face protection: Tight sealing safety goggles.

Hand protection: Wear suitable gloves. Impervious gloves.

PPE - Glove material	Glove thickness	Break through time
Butyl caoutchouc (butyl rubber)	0.5 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Recommended Filter Type: Filtering device (full mask or mouthpiec) with filter: AX

Environmental exposure controls: No information available.

SECTION 9: Physical and chemical properties

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

9.1. Information on basic physical and chemical properties

Appearance	Liquid					
Color	colorless					
Odor	characteristic					
			Units	Conditions	Method	Remarks
Melting point / melting range	~ -95	°C				
Boiling point / boiling range	~ 56	°C				
Flammability						Flammable
Decomposition temperature						None known
Flash point	~ -20	°C			DIN 51755 Part 1	
Autoignition temperature	465	°C				
Lower explosive limit	2	Vol%				
Upper explosion limit	14.3	Vol%				
Vapor pressure	240	hPa		20 °C		
Density	~ 0.788	g/cm ³		20 °C		
Water solubility						Miscible
pH						not applicable
pH (as aqueous solution)	5 - 6			20 °C		solution (1 %)
Partition coefficient	-0.24			log Kow		
Kinematic viscosity						None known
Odor threshold	47.5	mg/m ³				
Relative density	2	(air = 1)				
Evaporation rate	2	(ether = 1)				
Relative vapor density	no data available					
Particle Size	no data available					
Particle Size Distribution	no data available					

9.2. Other information

Bulk density:	no data available
Softening point	No information available
Molecular weight	No information available

9.2.1. Information with regard to physical hazard classes:

Explosive properties	No data available
Flammable	
Oxidizing properties	No data available

9.2.2. Other safety characteristics: No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity:	No information available.
-------------	---------------------------

10.2. Chemical stability

Stability:	Stable under normal conditions.
------------	---------------------------------

Explosion data:	
Sensitivity to mechanical impact:	None.
Sensitivity to static discharge:	Yes.

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure:

Product Information:	The product has not been tested
Inhalation:	Specific test data for the substance or mixture is not available.
Eye contact:	Specific test data for the substance or mixture is not available.
Skin contact:	Specific test data for the substance or mixture is not available.
Ingestion:	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms:	No information available.
-----------	---------------------------

Numerical measures of toxicity:

Acute toxicity:

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:	No information available.
Serious eye damage/eye irritation:	No information available.
Respiratory or skin sensitization:	No information available.
Germ cell mutagenicity:	No information available.
Carcinogenicity:	No information available.
Reproductive toxicity:	No information available.
STOT - single exposure:	No information available.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

STOT - repeated exposure:

No information available.

Aspiration hazard:

No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available.

11.2.2. Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity: The environmental impact of this product has not been fully investigated.

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Acetone 67-64-1	LC50	Oncorhynchus mykiss	5540 mg/L	96 h	

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Acetone 67-64-1	EC50 NOEC	Daphnia pulex	8800 mg/L 2212 mg/L	48 h 28 d	

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Acetone 67-64-1	NOEC	Prorocentrum minimum	430 mg/L	96 h	

Bacteria toxicity:

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Acetone 67-64-1	EC 12	activated sludge	1000 mg/L	30 min.	

12.2. Persistence and degradability

Persistence and degradability No information available.

Chemical name	degradation rate	test duration	Readily biodegradable	Remarks	Method
Acetone	91 %	28 d	Yes	Aerobic biological	

SAFETY DATA SHEET

TECWERK

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

Chemical name	degradation rate	test duration	Readily biodegradable	Remarks	Method
67-64-1				treatment	

12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Acetone 67-64-1	-0.24	0.69

12.4. Mobility in soil

Mobility in soil: No information available.

Mobility: No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment: No information available

Chemical name	PBT and vPvB assessment
Acetone 67-64-1	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties.

No information available.

12.7. Other adverse effects.

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products: Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging: Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

Waste codes / waste designations according to EWC / AVV: 07 01 04* (other organic solvents, washing liquids and mother liquors)

SECTION 14: Transport information

14.1 UN number or ID number

ADR: UN1090
RID: UN1090
IMDG: UN1090
IATA: UN1090

www.kluthe.com

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

14.2 UN proper shipping name

ADR: ACETONE
UN1090, ACETONE, 3, II, (D/E)

RID: ACETONE
UN1090, ACETONE, 3, II

IMDG: ACETONE
UN1090, ACETONE, 3, II, (-20°C C.C.)

IATA: ACETONE
UN1090, ACETONE, 3, II

14.3. Transport hazard class(es)

ADR: 3
Hazard label(s) 3
Classification code F1
ADR Hazard Id (Kemmler Number) 33
Tunnel restriction code (D/E)
Limited quantity (LQ) 1 L
Excepted quantity E2

RID: 3
Labels 3
Classification code F1

IMDG: 3
Hazard label(s) 3
Limited quantity (LQ) 1 L
Excepted quantity E2
EmS-No. F-E, S-D

IATA: 3
Hazard label(s) 3
Excepted quantity E2

14.4. Packing group

ADR: II
RID: II
IMDG: II
IATA: II

14.5. Environmental hazards

ADR: No
RID: No
IMDG: No
IATA: No

14.6. Special precautions for user

ADR: Not regulated
Special Provisions: None

SAFETY DATA SHEET

TECWERK

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

RID: Not regulated
Special Provisions: None
IMDG: Not regulated
Special Provisions: None
IATA: Not regulated
Special Provisions: None
ERG Code: 3H

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union:

Regulation (EC) No. 1907/2006 (Annex II - (EC) No. 2020/878) and Regulation (EC) No. 1272/2008

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work:

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken

Authorizations and/or restrictions on use:

- This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
Acetone 67-64-1		3 40

Persistent Organic Pollutants: Not applicable
(EC) 2019/1021

Dangerous substance category per Seveso Directive (2012/18/EU):

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:

acc. reg. 2010/75/EC (20°C): 100 %

acc. reg. 2004/42/EC (Decopaint): 100 %

National regulations:

Denmark:

Chemical name	Denmark - MAL
Acetone	23 m3/10 g substance MAL factor

www.kluthe.com

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

67-64-1	>0 % by weight [1]
---------	--------------------

Germany:

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
Acetone 67-64-1	1	6

TA Luft (German Air Pollution Control Regulation):
org. substances (Ziffer 5.2.5): 95 - 100%

Storage class (TRGS 510): LGK 3 - Flammable liquids

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number
Acetone 67-64-1	RG 84

RG 84 - Conditions caused by occupational use of liquid organic solvents

Netherlands:

Water contaminating class (Netherlands): B4

Austria:

Flammable Liquids Regulations, VbF Flammable liquids Cat. 2

Poland:

Ordinance of the Minister of Family, Labor and Social Policy dated June 12, 2018 on the highest permissible concentrations and intensities of harmful factors for health in the work environment (Dz. U. 2018 item 1286, as amended)
Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21; as amended)
Act on chemical substances and their mixtures of February 25, 2011. (Journal of Laws No. 63, item 322; as amended)
Regulation of the Minister of Labor and Social Policy of September 26, 1997 on general regulations of safety and hygiene at work (Dz. U. of 2003, No. 169, item 1650; as amended).

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 100 %

Hungary:

Decree No 44/2000 (XII.27.) of the Ministry of Economic Affairs and Labour of the Republic of Hungary on certain procedures and activities
Joint Decree No. 5/2020 ITM on Chemical Safety at Work 178/2017 (VII. 5.)
Government Decree on the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) „A“ and „B“ of the European Agreement on Road Transport

International Inventories:

TSCA Complies
DSL/NDSL Complies

SAFETY DATA SHEET

TECWERK

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AIIC	Complies
NZIoC	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
NZIoC - New Zealand Inventory of Chemicals
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report: No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road
(Accord européen relatif transport des marchandises dangereuses par route)

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction

DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level

DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50%

ECHA: European Chemical Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code

SAFETY DATA SHEET



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation and Authorization of Chemicals

RID: Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

STEL: Short-term Exposure Limit

STP: Sewage treatment plant

SVHC: Substance of Very High Concern

TLV: Threshold Limit Value

TWA: Time Weighted Average

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent, very bioaccumulative

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

SAFETY DATA SHEET

TECWERK

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 26-Jul-2024

Print Date: 08-Jan-2025

Revision Number: 1

TECWERK Aceton 1L Dose, 5L Kanister (Art.Nr.: 2000355960, 2000355962)

Hazardous Substance Database

International Uniform Chemical Information Database (IUCPID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Issuing Date: 23-Jun-2020

Revision date: 26-Jul-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH):

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet