NIMAN NORDWEST

Safety data sheet according to 1907/2006/EC, Article 31

Page 1/8

Printing date 20.04.2011 Revision: 20.04.2011 Version number 5

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: NOW Grundierspray grau 400 ml
- · Article number: 4000354167
- · Application of the substance / the preparation: in accordance with product designation
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Nordwest Handel AG Berliner Str. 26 - 36 D-58135 Hagen

Phone: +49 (0)2331/4610 Fax: +49 (0)2331/461389

- · Further information obtainable from: see above
- Emergency telephone number: Beratungsstelle bei Vergiftungen, Mainz Tel. 0049 (0) 6131 / 19240

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36: Irritating to eyes.



F+; Extremely flammable

R12: Extremely flammable.



N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R66-67: Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. Warning! Pressurized container.

(Contd. on page 2)

Trade name: NOW Grundierspray grau - 400 ml

· Classification system:

(Contd. of page 1)

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xi Irritant

F+ Extremely flammable

N Dangerous for the environment

· Risk phrases:

- 12 Extremely flammable.
- 36 Irritating to eyes.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe vapour/spray.
- 51 Use only in well-ventilated areas.
- 56 Dispose of this material and its container to hazardous or special waste collection point.
- 60 This material and its container must be disposed of as hazardous waste.

· Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

- Classification in accordance with Directive 75/324/EEC: Extremely flammable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 106-97-8	butane	25-50%
EINECS: 203-448-7	F+ R12	
Index number: 601-004-00-0	Flam. Gas 1, H220; 🥎 Press. Gas, H280	
CAS: 67-64-1	acetone	10-25%
EINECS: 200-662-2	🗙 Xi R36; 🔥 F R11	
Index number: 606-001-00-8	1.19.9.91	
	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 7440-66-6	zinc powder -zinc dust (stabilized)	10-25%
EINECS: 231-175-3	N R50/53	
Index number: 030-001-01-9	🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	(Cont	d. on page 3

- FII

Trade name: NOW Grundierspray grau - 400 ml

	(Co	ntd. of page 2)
CAS: 74-98-6	propane	10-25%
EINECS: 200-827-9	F+ R12	
Index number: 601-003-00-5	ò Flam. Gas 1, H220; 🔷 Press. Gas, H280	1
CAS: 64742-95-6	Solvent naphtha (petroleum), light arom.	2,5-10%
EINECS: 265-199-0	🗙 Xn R65; 🗙 Xi R37; 👺 N R51/53	
Index number: 649-356-00-4		
	♠ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ↑ STOT SE 3, H335	-

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Revision: 20.04.2011 Version number 5

Trade name: NOW Grundierspray grau - 400 ml

(Contd. of page 3)

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

67-64-1 acetone

IOELV () 1210 mg/m³, 500 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Trade name: NOW Grundierspray grau - 400 ml

(Contd. of page 4)

9 Physical and chemical proper	rties			
· Information on basic physical and chemical properties				
· General Information				
· Appearance:				
Form:	Aerosol			
Colour:	Light grey			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value:	Not determined.			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	-44°C			
· Flash point:	-97°C			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:	365°C			
· Decomposition temperature:	Not determined.			
· Self-igniting:	Product is not selfigniting.			
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.			
· Explosion limits:				
Lower:	1,5 Vol %			
Upper:	13,0 Vol %			
· Vapour pressure at 20°C:	8300 hPa			
· Density at 20°C:	0,7 g/cm³			
· Relative density	Not determined.			
· Vapour density	Not determined.			
· Evaporation rate	Not applicable.			
· Solubility in / Miscibility with				
water:	Not miscible or difficult to mix.			
· Segregation coefficient (n-octanol/w	vater): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Solvent content:				
Organic solvents:	79,5 %			
Solids content:	20,0 %			
· Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Trade name: NOW Grundierspray grau - 400 ml

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

•	LD/LC50	vaiues	reievant	tor o	ciassification:	

64742-95-6 Solvent naphtha (petroleum), light arom.

 Oral
 LD50
 >6800 mg/kg (rat)

 Dermal
 LD50
 >3400 mg/kg (rab)

 Inhalative
 LC50/4 h
 >10,2 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

u -

Page 7/8

Printing date 20.04.2011 Revision: 20.04.2011 Version number 5

Trade name: NOW Grundierspray grau - 400 ml

(Contd. of page 6)

14 Transport information

· Land transport ADR/RID (cross-border)





· ADR/RID class: 2 5F Gases.

Danger code (Kemler):
UN-Number:
Packaging group:
Hazard label:
2.1

Special marking: Symbol (fish and tree)UN proper shipping name: 1950 AEROSOLS

· Tunnel restriction code D

· Maritime transport IMDG:



 · IMDG Class:
 2.1

 · UN Number:
 1950

 · Label
 2.1

 · Packaging group:

• EMS Number: F-D,S-U
• Marine pollutant: No

Proper shipping name: AEROSOLS

· Air transport ICAO-TI and IATA-DGR:



 · ICAO/IATA Class:
 2.1

 · UN/ID Number:
 1950

 · Label
 2.1

· Packaging group: -

• Proper shipping name: AEROSOLS, flammable

- · UN "Model Regulation": UN1950, AEROSOLS, 2.1
- · Special precautions for user Warning: Gases.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 8)

Trade name: NOW Grundierspray grau - 400 ml

H319 H335 H336 H400 H410	May cause respiratory irritation. May cause drowsiness or dizziness. Very toxic to aquatic life.	(Contd. of page 7)
H411		
R10 R11 R12 R36 R37 R50/	Flammable. Highly flammable. Extremely flammable. Irritating to eyes. Irritating to respiratory system. /53 Very toxic to aquatic organisms, may cause long-term adverse effects in the a /53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquat Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.	
NÖR Tel.: Fax:	artment issuing MSDS: RDWEST Service Center +49 (0)2331/4614500 +49 (0)2331/4614549 iil: service-center@nordwest.com	
Abbi ADR: ADR: ADR: ADR: ADR: ADR: ADR: ADR:	reviations and acronyms: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement con ige of Dangerous Goods by Road) Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Registional Transport of Dangerous Goods by Rail) International Maritime Code for Dangerous Goods International Air Transport Association DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) International Civil Aviation Organization TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) Globally Harmonized System of Classification and Labelling of Chemicals Lethal concentration, 50 percent Lethal dose, 50 percent	•

* * Data compared to the previous version altered.

EU