according to Regulation (EC) No. 1907/2006 (REACH)



Revision: 2022-08-24 Version number: GHS 7.0 Replaces version of: 2021-11-30 (GHS 6)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

PROMAT CHEMICALS NASSENTWICKLER - 500 ml Trade name

Unique formula identifier (UFI) N080-800H-900T-CPXG

4000 354551 Article number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses general use

Uses advised against do not use for products which come into contact with foodstuffs

1.3 Details of the supplier of the safety data sheet

> NORDWEST Handel AG Robert-Schuman-Straße 17

44263 Dortmund Germany

Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 Website: www.nordwest.com

e-Mail (competent person): sdb@nordwest.com

1.4 **Emergency telephone number** 

> Austria: Vergiftungsinformationszentrale der Gesundheit +43 1 406 43 43 Beratungsstelle bei Vergiftungen Giftinformation-+49(0)6131 / 19240 Germany:

szentrale der Länder Rheinland-Pfalz und Hessen Switzerland:

Tox Info Suisse +145, 24h oder +41 44 251 51 51

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.3	aerosols	Cat. 1	(Aerosol 1)	H222,H229
3.3	serious eye damage/eye irritation	Cat. 2	(Eye Irrit. 2)	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	Cat. 3	(STOT SE 3)	H336

#### Remarks

For full text of H-phrases: see SECTION 16.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.2 **Label elements**

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

**Pictograms** GHS02, GHS07



Extremely flammable aerosol.

H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. P210

P211 P251

P271 Wear protective gloves/eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305+P351+P338

easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional labelling requirements

FUH066 Repeated exposure may cause skin dryness or cracking.


Hazardous ingredients for labelling:

Acetone. Propan-2-ol.

(En) Germany: Page: 1: / 14: Version number: GHS 7.0:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml



Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

#### 2.3 Other hazards

There is no additional information.

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

#### Description of the mixture

Hazardous ingredients acc. to EU regulation								
Name of substance	Identifier	Wt%	Classification acc. to 1272/ 2008/EC	Picto- grams				
butane	CAS No 106-97-8 EC No 203-448-7	25 - < 50	Flam. Gas 1A / H220 Press. Gas C / H280	*				
Propan	CAS No 74-98-6 EC No 200-827-9 REACH Reg. No 01-2119486944-21	25 - < 50	Flam. Gas 1A / H220 Press. Gas L / H280	*				
acetone	CAS No 67-64-1 EC No 200-662-2 REACH Reg. No 01-2119471330-49	10-<25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	<b>(*)</b> (!)				
propan-2-ol	CAS No 67-63-0 EC No 200-661-7 REACH Reg. No 01-2119457558-25 01-2119457558-25-xxxx	10 - < 25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	<b>(3)</b> (1)				

For full text of abbreviations: see SECTION 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

## **General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water. Take off contaminated clothing.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

(En) Germany: Page: 2: / 14:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

## SECTION 5: Firefighting measures

#### Extinguishing media

#### Suitable extinguishing media

water spray, BC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

### **Hazardous combustion products**

carbon monoxide (CO), carbon dioxide (CO2)

#### 53 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 **Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### Methods and material for containment and cleaning up 6.3

### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Collect spillage (universal binder).

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

# Precautions for safe handling

#### Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

### Managing of associated risks

· Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice

Observe instructions for use. Keep out of reach of children.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

(En) Germany: Page: 3: / 14:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

# SECTION 8: Exposure controls/personal protection

### **Control parameters**

#### **National limit values**

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Nota- tion	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceiling- C [ppm]	Ceiling- C [mg/ m³]	Source
DE	butane	106-97-8		AGW	1,000	2,400	4,000	9,600			TRGS 900
DE	propan-2-ol	67-63-0	Υ	AGW	200	500	400	1,000			TRGS 900
DE	acetone	67-64-1	Υ	AGW	500	1,200	1,000	2,400			TRGS 900
DE	propane	74-98-6		AGW	1,000	1,800	4,000	7,200			TRGS 900
EU	acetone	67-64-1		IOELV	500	1,210					2000/ 39/EC

Notation

Ceiling-C STEL

Υ

TWA

ceiling value is a limit value above which exposure should not occur short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

## Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
DE	2-propanol	acetone		BLV	25 mg/l	TRGS 903
DE	2-propanol	acetone		BLV	25 mg/l	TRGS 903
DE	Aceton	Aceton		BAT	50 mg/l	DFG
DE	Aceton	Aceton		BAT (BAR)	2.5 mg/l	DFG
DE	acetone	acetone		BLV	80 mg/l	TRGS 903

## Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
acetone	67-64-1	DNEL	2,420 mg/m³	human, inhalatory	worker (industry)	acute - local effects
acetone	67-64-1	DNEL	186 mg/kg	human, dermal	worker (industry)	chronic - systemic ef- fects
acetone	67-64-1	DNEL	1,210 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
propan-2-ol	67-63-0	DNEL	1,723 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
propan-2-ol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
propan-2-ol	67-63-0	DNEL	888 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic ef- fects

<sup>•</sup> relevant PNECs of components of the mixture

Page: 4: / 14:

(En) Germany: Version number: GHS 7.0:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
acetone	67-64-1	PNEC	10.6 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
acetone	67-64-1	PNEC	1.06 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
acetone	67-64-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
acetone	67-64-1	PNEC	30.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single in- stance)
acetone	67-64-1	PNEC	3.04 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
acetone	67-64-1	PNEC	29.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
acetone	67-64-1	PNEC	21 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
propan-2-ol	67-63-0	PNEC	160 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	water	short-term (single in- stance)
propan-2-ol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
propan-2-ol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
propan-2-ol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
propan-2-ol	67-63-0	PNEC	2,251 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
propan-2-ol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single in- stance)
propan-2-ol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
propan-2-ol	67-63-0	PNEC	28 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)

#### 8.2 **Exposure controls**

# **Appropriate engineering controls**

General ventilation.

Individual protection measures (personal protective equipment)







Eye/face protection

Use protective eyewear to guard against splash of liquids. Skin protection

## hand protection

Wear protective gloves. (Splash protection)

# type of material

NR: natural rubber, latex, FKM: fluoro-elastomer

# • breakthrough times of the glove material

>480 minutes (permeation: level 6)

# • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection Full face mask/half mask/quarter mask (EN 136/140)
Type: AX-P2 (gas filters and combined filters against low-boiling point organic compounds and particles, colour code: Brown/ White)


(En) Germany: Version number: GHS 7.0: Page: 5: / 14:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml



Replaces version of: 2021-11-30 (GHS 6)



Use appropriate container to avoid environmental contamination.

# SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties 9.1

**Appearance** 

Physical state aerosol (spray aerosol)

Colour whitish Odour characteristic

Other physical and chemical parameters

Melting point/freezing point not applicable (aerosol) Initial boiling point and boiling range not applicable (aerosol) not applicable (aerosol) Flash point

Flammability (solid, gas) flammable aerosol in accordance with GHS criteria

**Explosive limits** 

• lower explosion limit (LEL) 2.2 vol% (50 g/m<sup>3</sup>) • upper explosion limit (UEL) 15 vol% (335 g/m<sup>3</sup>) Vapour pressure 4,200 hPa at 20 °C

Density 0.6616 <sup>g</sup>/<sub>ml</sub> (calculated value)

Solubility(ies) not determined

Partition coefficient

n-octanol/water (log KOW) This information is not available.

Auto-ignition temperature 287 °C

not relevant (aerosol) Viscosity

Explosive properties none Oxidising properties none

9.2 Other information There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

#### 10.2 **Chemical stability**

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. - Keep away from heat.

#### Hints to prevent fire or explosion

Protect from sunlight.

### Physical stresses which might result in a hazardous situation and have to be avoided

high temperatures

#### 10.5 **Incompatible materials**

oxidisers

#### 10.6 **Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1

Test data are not available for the complete mixture.

# Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

(En) Germany: Page: 6: / 14:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

# Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
acetone	67-64-1	oral	LD50	5,800 <sup>mg</sup> / <sub>kg</sub>	rat
propan-2-ol	67-63-0	dermal	LD50	4,032 <sup>mg</sup> / <sub>kg</sub>	rabbit

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

## • Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Other information

Repeated exposure may cause skin dryness or cracking.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment. Wassergefährdungsklasse, WGK (water hazard class) (WGK; Germany): 1 (slightly hazardous to water)

## Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
acetone	67-64-1	LC50	8,120 <sup>mg</sup> / <sub>l</sub>	fish	96 h
propan-2-ol	67-63-0	LC50	10,000 <sup>mg</sup> / <sub>l</sub>	fish	96 h

# Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
acetone	67-64-1	EC50	61.15 <sup>g</sup> / <sub>l</sub>	microorganisms	30 min
propan-2-ol	67-63-0	LC50	>10,000 <sup>mg</sup> / <sub>I</sub>	aquatic inverteb- rates	24 h

#### 12.2 Persistence and degradability

# Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
acetone	67-64-1	carbon dioxide generation	90.9 %	28 d
propan-2-ol	67-63-0	oxygen depletion	53 %	5 d

## 12.3 Bioaccumulative potential

Data are not available.

(En) Germany: Page: 7: / 14:

Version number: GHS 7.0:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml



Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
butane	106-97-8		1.09 (pH value: 7, 20 °C)	
propane	74-98-6		1.09 (pH value: 7, 20 °C)	
acetone	67-64-1		-0.24	
propan-2-ol	67-63-0		0.2 (pH value: 7, 25 °C)	

#### 12.4 Mobility in soil

Version number: GHS 7.0

Data are not available.

#### Results of PBT and vPvB assessment 12.5

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

#### **Endocrine disrupting potential**

None of the ingredients are listed.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Relevant provisions relating to waste

#### List of wastes

16 05 04\* gases in pressure containers (including halons) containing hazardous substances 15 01 10\* packaging containing residues of or contaminated by hazardous substances

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1	UN number	1950
14.2	UN proper shipping name	<b>AEROSOLS</b>

14.3 Transport hazard class(es)

> Class 2 (gases) (aerosol) Subsidiary risk(s) 2.1 (flammability)

14.4 Packing group not assigned to a packing group

14.5 Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Transport in bulk according to Annex II of MARPOL and the IBC Code 14.7

The cargo is not intended to be carried in bulk.

## Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

**UN** number 1950 Proper shipping name **AEROSOLS** 

5F Classification code Danger label(s) 2.1



190, 327, 344, 625 Special provisions (SP)

Excepted quantities (EQ) E0

(En) Germany: Page: 8: / 14:

Version number: GHS 7.0:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml



Replaces version of: 2021-11-30 (GHS 6)

Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D

• International Maritime Dangerous Goods Code (IMDG)

UN number 1950
Proper shipping name AEROSOLS
Class 2.1
Danger label(s) 2.1



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U
Stowage category -

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1950

Proper shipping name Aerosols, flammable

Class 2.1 Danger label(s) 2.1



Special provisions (SP) A145, A167, A802

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

• Restrictions according to REACH, Annex XVII

Name acc. to inventory	CAS No	Restriction	No
flammable / pyrophoric		R40	40
carcinogenic		R28-30	28
germ cell mutagenic (mutagenic)		R28-30	29
flammable / pyrophoric		R40	40
substances in tattoo inks and permanent make-up		R75	75
this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
flammable / pyrophoric		R40	40
substances in tattoo inks and permanent make-up		R75	75
this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
flammable / pyrophoric		R40	40
substances in tattoo inks and permanent make-up		R75	75

#### Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances
- as constituents of other substances, or,

- in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

(En) Germany: Page: 9: / 14:

Version number: GHS 7.0:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

#### Legend

'Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

motor fuels which are covered by Directive 98/70/EC

- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Regulation (EC) No 1272/2008;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;

(f) devices covered by Regulation (EU) 2017/745.

R3

1. Shall not be used in: - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
   Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and
   present an aspiration hazard and are labelled with H304.

  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following reguirements are met:
- quirements are met:
  (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage";
  (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
  (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.";

  1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

R40

for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,

- artificial snow and frost,

- 'whoopee' cushions,- silly string aerosols,
- imitation excrement,
- horns for parties,
  decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

(En) Germany: Page: 10: / 14:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

#### Legend

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is

substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances: (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0.1 % by weight, if the substance is used solely as a pH regulator, (ii) 0.01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in give products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mix-

2. For the purposes of this entry use of a mixture for tattooing purposes means injection of introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 apply to that substance.

paragraph 1 shall apply to that substance

paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredients in the mixture for use for tattooing purposes. this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredi-

ent does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No

1272/2008

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point

(a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

(En) Germany: Version number: GHS 7.0:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

## Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively

• List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list none of the ingredients are listed

• Directive 75/324/EEC relating to aerosol dispensers

Classification of the gas/aerosol

extremely flammable

Labelling keep out of reach of children pressurized container: may burst if heated keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking do not pierce or burn, even after use protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

500 ml

Net contents by volume

• Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

- Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR) none of the ingredients are listed
- · Water Framework Directive (WFD)

Name of substance	CAS No	Listed in	Remarks
butane		a)	

#### Legend

 $\overline{A}$ 

Indicative list of the main pollutants

Explosives precursors which are subject to restrictions

Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the purpose of licensing un- der Article 5(3)
acetone	67-64-1	Annex II			

## Legend

annex II

Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

#### National regulations (Germany)

 Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water hazard class) 1 (slightly hazardous to water)

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentra- tion	Notation
5.2.5	organic substances		≥ 25 wt%	0.5 <sup>kg</sup> / <sub>h</sub>	50 <sup>mg</sup> / <sub>m³</sub>	3)

### Notation

3)


a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m $^3$ , each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

 Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany) Storage class (LGK): 2 B (aerosol dispensers and lighters)

(En) Germany: Page: 12: / 14:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml



Replaces version of: 2021-11-30 (GHS 6)



Date of compilation: 2022-08-24

## **National inventories**

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

Legend

REACH Reg. REACH registered substances

#### 15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
3.2		Hazardous ingredients acc. to EU regulation: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		• relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		• relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	• lower explosion limit (LEL): 5 vol%	• lower explosion limit (LEL): 2.2 vol% (50 g/m³)	yes
9.1	• upper explosion limit (UEL): 15 vol%	• upper explosion limit (UEL): 15 vol% (335 g/m³)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
15.1		Restrictions according to REACH, Annex XVII: change in the listing (table)	yes
15.1	Water Framework Directive (WFD): none of the ingredients are listed	Water Framework Directive (WFD)	yes
15.1		Water Framework Directive (WFD): change in the listing (table)	yes

Abbreviations and acronyms

2000/39/EC. ADN.

ADR.

AGW. BCF. BOD. CAS. Ceiling-C. CLP. CMR.

Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC. Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways).

Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road).

Workplace exposure limit.
Bioconcentration factor.
Biochemical Oxygen Demand.

Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).
Ceiling value.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Carcinogenic, Mutagenic or toxic for Reproduction.
Chemical oxygen demand.
Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim.
Dangerous Goods Regulations (see IATA/DGR).
Derived Minimal Effect Level.
Derived No-Effect Level.
Derived No-Effect Level.
Derived Vinimal Effect (Evel.
Derived Vinimal Effect Service, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union).
European Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union).
European Inventory of Existing Commercial Chemical Substances.
European List of Notified Chemical Substances.
E

COD. DFG.

DGR. DMEL DNEL. EC50.

EC No.

EINECS. ELINCS. EmS. Eye Dam. Eye Irrit. Flam. Gas. Flam. Liq. GHS. IATA. IATA/DGR. ICAO. IMDG. IOELV. LC50.

(En) Germany: Page: 13: / 14:

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354551 - PROMAT CHEMICALS NASSENTWICKLER - 500 ml

Date of compilation: 2022-08-24 Version number: GHS 7.0

Replaces version of: 2021-11-30 (GHS 6)



Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval. Lagerklasse (storage class according to TRGS 510, Germany). n-Octanol/water. International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant"). No-Longer Polymer. Persistent, Bioaccumulative and Toxic. Predicted No-Effect Concentration. Parts per million LD50. LGK. Log KOW. MARPOL. NLP. PBT. PNEC.

Ppm. Press. Gas. REACH. RID.

Predicted No-Effect Concentration.
Parts per million.
Gas under pressure.
Registration, Evaluation, Authorisation and Restriction of Chemicals.
Règiement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail).
Short-term exposure limit.
Specific target organ toxicity - single exposure.
Substance of Very High Concern.
Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).
Arbeitsplatzgrenzwerte (TRGS 900).
Biologische Grenzwerte (TRGS 903).
Time-weighted average.
Very Persistent and very Bioaccumulative.

STEL. STOT SE.

STOT SE. SVHC. TRGS. TRGS 900. TRGS 903. TWA. VPvB.

#### Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

# Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Ses (code and full text as stated in section 2 and 3)
Extremely flammable gas.
Extremely flammable acrosol.
Highly flammable liquid and vapour.
Pressurised container: May burst if heated.
Contains gas under pressure; may explode if heated.
Causes serious eye irritation.
May cause drowsiness or dizziness. H220. H222. H225. H229. H280. H319. H336.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Page: 14: / 14: (En) Germany: