according to Regulation (EC) No. 1907/2006 (REACH)



Version number: GHS 2.0 Revision: 2021-03-30 Replaces version of: 2020-02-04 (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Unique formula identifier (UFI) 2880-S02Q-7009-AQPP

Article number 4000 354650

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified usesGeneral use
Cleaning agent

1.3 Details of the supplier of the safety data sheet

NORDWEST Handel AG Robert-Schuman-Straße 17 44263 Dortmund Germany

Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 e-mail: sdb@nordwest.com Website: www.nordwest.com

e-mail (competent person) sdb@nordwest.com

1.4 Emergency telephone number

Poison centre								
Country	Name	Postal code/city	Telephone					
Austria	Vergiftungsinformationszentrale der Gesundheit		+43 1 406 43 43					
Germany	Beratungsstelle bei Vergiftungen Giftinformationszentrale der Länder Rheinland- Pfalz und Hessen	55131 Mainz	+49(0)6131 / 19240					
Switzerland	Tox Info Suisse		+145, 24h oder +41 44 251 51 51					

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.3	aerosols	1	Aerosol 1	H222,H229
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Pictograms

danger

GHS02, GHS07, GHS09

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Germany: en Page: 1 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Replaces version of: 2020-02-04 (GHS 1) Revision: 2021-03-30

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.

P101 P102 P210 P211 P251 P271

Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid release to the environment. P273

P280

Wear protective gloves/eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305+P351+P338

easy to do. Continue rinsing.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations. P410+P412 P501

Hazardous ingredients for labelling Naphtha (petroleum), hydrotreated light, acetone, ethyl acetate

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

Substances

Not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Identifier	Name of substance	Wt%	Classification acc. to GHS	Pictograms
CAS No 64742-49-0 EC No	Naphtha (petroleum), hydro- treated light	25 - < 50	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304	
921-024-6 REACH Reg. No 01-2119475514-35			Aquatic Chronic 2 / H411	***
CAS No 106-97-8	butane	10 - < 25	Flam. Gas 1 / H220 Press. Gas L / H280	
EC No 203-448-7				
Index No 601-004-00-0				
REACH Reg. No 01-2119474691-32				
CAS No 67-64-1	acetone	10-<25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	(N) (!)
EC No 200-662-2			3101 32 37 11330	
Index No 606-001-00-8				
REACH Reg. No 01-2119471330-49				
CAS No 64-17-5	ethanol	10-<25	Flam. Liq. 2 / H225	(N)
EC No 200-578-6				
Index No 603-002-00-5				
REACH Reg. No 01-2119457610-43-xxxx				
CAS No 141-78-6	ethyl acetate	10-<25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	
EC No 205-500-4			3101 32 37 11330	
REACH Reg. No 01-2119475103-46-xxxx				

Page: 2 / 17 Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30

Replaces version of: 2020-02-04 (GHS 1)

Identifier	Name of substance	Wt%	Classification acc. to GHS	Pictograms
CAS No 74-98-6	propane	5 - < 10	Flam. Gas 1 / H220 Press. Gas L / H280	
EC No 200-827-9				
Index No 601-003-00-5				
REACH Reg. No 01-2119486944-21				

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Germany: en Page: 3 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30 Replaces version of: 2020-02-04 (GHS 1)

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Packaging compatibilities

Keep only in original container.

Storage class (LGK) TRGS 510

LGK 2 B (aerosol dispensers and lighters)

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Coun- try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceiling- C [ppm]	Ceiling- C [mg/ m³]	Nota- tion	Source
DE	butane	106-97-8	AGW	1,000	2,400	4,000	9,600				TRGS 900
DE	ethyl acetate	141-78-6	MAK	200	750	400	1,500				DFG
DE	ethyl acetate	141-78-6	AGW	200	730	400	1,460			Υ	TRGS 900
DE	ethanol	64-17-5	MAK	200	380	800	1,520				DFG
DE	ethanol	64-17-5	AGW	200	380	800	1,520			Υ	TRGS 900
DE	acetone	67-64-1	AGW	500	1,200	1,000	2,400			Υ	TRGS 900
DE	propane	74-98-6	AGW	1,000	1,800	4,000	7,200				TRGS 900
EU	ethyl acetate	141-78-6	IOELV	200	734	400	1,468				2017/ 164/EU
EU	acetone	67-64-1	IOELV	500	1,210						2000/ 39/EC

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

TWA

minute period (unless otherwise specified) time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified) a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

Germany: en Page: 4 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



Revision: 2021-03-30

4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0

Replaces version of: 2020-02-04 (GHS 1)

Biological	Biological limit values									
Country	Country Name of agent Parameter Notation Identifier Value Source									
DE	acetone	acetone		BLV	80 mg/l	TRGS 903				

Relevant DNELs of components of the mixture Threshold level Protection goal, route of exposure Name of substance CAS No **Endpoint** Used in **Exposure time** Naphtha (petroleum), hydrotreated light 64742-49-0 DNEL 5,306 mg/m³ human, inhalatory worker (industry) chronic - systemic ef-Naphtha (petroleum), hydrotreated light 64742-49-0 DNEL 13,964 mg/ human, dermal worker (industry) chronic - systemic efkg bw/day 67-64-1 DNEL acetone 2.420 mg/m³ human, inhalatory acute - local effects worker (industry) DNEL acetone 67-64-1 186 mg/kg human, dermal worker (industry) chronic - systemic ef-67-64-1 DNEL 1,210 mg/m³ human, inhalatory chronic - systemic efacetone worker (industry) 141-78-6 DNFI ethyl acetate 1,468 mg/m³ human, inhalatory worker (industry) acute - local effects 141-78-6 DNEL 1,468 mg/m³ human, inhalatory ethyl acetate worker (industry) acute - systemic ef-141-78-6 DNEL chronic - local effects ethyl acetate 734 mg/m³ human, inhalatory worker (industry) ethyl acetate 141-78-6 DNEL 63 mg/kg human, dermal worker (industry) chronic - systemic efethyl acetate 141-78-6 DNEL chronic - systemic ef-734 mg/m³ human, inhalatory worker (industry) 64-17-5 DNFI ethanol 1,900 mg/m³ human, inhalatory worker (industry) acute - local effects DNEL ethanol 64-17-5 343 mg/kg chronic - systemic efhuman, dermal worker (industry) 64-17-5 DNEL chronic - systemic effects ethanol 950 mg/m³ human, inhalatory worker (industry)

Relevant PNECs of components of the mixture Threshold level Environmental compartment Name of substance CAS No **Endpoint** Organism **Exposure time** 67-64-1 **PNEC** 10.6 mg/_I freshwater acetone aquatic organisms short-term (single in-1.06 ^{mg}/_I 67-64-1 **PNEC** short-term (single inacetone aquatic organisms marine water 67-64-1 PNEC 100 ^{mg}/₁ short-term (single inacetone aquatic organisms sewage treatment plant (STP) 30.4 ^{mg}/_{kg} PNFC short-term (single instance) acetone 67-64-1 aquatic organisms freshwater sediment 3.04 ^{mg}/_{kg} acetone 67-64-1 **PNEC** aquatic organisms marine sediment short-term (single in-**PNEC** 29.5 mg/kg acetone 67-64-1 terrestrial organsoil short-term (single instance) 67-64-1 **PNEC** 21 mg/_I aquatic organisms intermittent release acetone water 141-78-6 PNEC 0.24 mg/ı ethyl acetate freshwater short-term (single inaquatic organisms 0.024 mg/_I 141-78-6 PNFC short-term (single instance) ethyl acetate aquatic organisms marine water 650 ^{mg}/_I ethyl acetate 141-78-6 PNEC aquatic organisms sewage treatment plant (STP) short-term (single in-

Germany: en Page: 5 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



Revision: 2021-03-30

4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Replaces version of: 2020-02-04 (GHS 1)

Relevant PNECs of components of the mixture										
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time				
ethyl acetate	141-78-6	PNEC	1.15 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)				
ethyl acetate	141-78-6	PNEC	0.115 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)				
ethyl acetate	141-78-6	PNEC	0.148 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)				
ethyl acetate	141-78-6	PNEC	1.65 ^{mg} / _l	aquatic organisms	water	intermittent release				
ethanol	64-17-5	PNEC	0.96 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)				
ethanol	64-17-5	PNEC	580 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)				
ethanol	64-17-5	PNEC	0.79 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)				
ethanol	64-17-5	PNEC	0.63 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)				
ethanol	64-17-5	PNEC	3.6 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)				
ethanol	64-17-5	PNEC	2.75 ^{mg} / _I	aquatic organisms	water	intermittent release				

8.2 **Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)







Personal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

Hand protection

Wear protective gloves. (Splash protection)

Type of material

NR: natural rubber, latex, FKM: fluoro-elastomer

Breakthrough times of the glove material

>480 minutes (permeation: level 6)

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask/half mask/quarter mask (EN 136/140).

Type: AX-P2 (gas filters and combined filters against low-boiling point organic compounds and particles, colour code: Brown/ White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Page: 6 / 17 Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)

4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30 Replaces version of: 2020-02-04 (GHS 1)

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state aerosol (spray aerosol)

Colour colourless Melting point/freezing point -159.4 °C

Boiling point or initial boiling point not applicable (aerosol) **and boiling range**

flammable aerosol in accordance with GHS criteria Flammability

Lower and upper explosion limit 1 vol% - 15 vol% Flash point not applicable (aerosol)

Decomposition temperature not relevant

pH (value) not applicable (aerosol)

Kinematic viscosity not relevant Solubility(ies) not determined

Vapour pressure 4,200 hPa at 20 °C

Density and/or relative density

Density 0.7001 ^g/_{ml} (calculated value)

no data available

9.2 Other information

Information with regard to physical there is no additional information

hazard classes

Other safety characteristics

Temperature class (EU, acc. to ATEX) T3 (maximum permissible surface temperature on the equipment: 200°C)

Odour characteristic

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

10.2 **Chemical stability**

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 **Incompatible materials**

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008 11.1

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Page: 7 / 17 Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)

FROMAT CHEMICALS

4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30 Replaces version of: 2020-02-04 (GHS 1)

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Toxic to aquatic life with long lasting effects. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 2, obviously hazardous to water (Germany)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No			Exposure time	
acetone	67-64-1	EC50	61.15 ^g / _l	microorganisms	30 min
ethyl acetate	141-78-6	EC50	2,306 ^{mg} / _l	aquatic invertebrates	24 h
ethanol	64-17-5	LC50	>0.08 ^{mg} / _I	fish	42 d
ethanol	64-17-5	EC50	22.6 ^g / _l	algae	10 d
ethanol	64-17-5	ErC50	675 ^{mg} / _l	algae	4 d

12.2 Persistence and degradability

Degradability of components of the mixture

- 3									
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source			
Naphtha (petro- leum), hydro- treated light	64742-49-0	oxygen depletion	83 %	10 d		ECHA			
acetone	67-64-1	carbon dioxide generation	90.9 %	28 d					
ethyl acetate	141-78-6	oxygen depletion	62 %	5 d					
ethanol	64-17-5	oxygen depletion	74 %	5 d					

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Bioaccumulative potential or components of the mixture							
Name of substance	CAS No	BCF	Log KOW	BOD5/COD			
Naphtha (petroleum), hydrotreated light	64742-49-0	501.2	3.6 (pH value: 7, 20 °C)				
acetone	67-64-1		-0.24				
butane	106-97-8		1.09 (pH value: 7, 20 °C)				
ethyl acetate	141-78-6	30	0.68 (pH value: 7, 25 °C)				

Germany: en Page: 8 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30

Replaces version of: 2020-02-04 (GHS 1)

Bioaccumulative potential of components of the mixture								
Name of substance CAS No BCF Log KOW BOD5/COD								
ethanol 64-17-5 -0.35 (pH value: 7.4, 24 °C)								
propane	74-98-6		1.09 (pH value: 7, 20 °C)					

12.4 Mobility in soil

Data are not available.

Results of PBT and vPvB assessment 12.5

Data are not available.

12.6 **Endocrine disrupting properties**

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

Waste treatment methods 13.1

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes, (Recommendations)

Product

07 07 04* Other organic solvents, washing liquids and mother liquors

Product residues

16 05 04* Gases in pressure containers (including halons) containing hazardous substances 07 07 04* Other organic solvents, washing liquids and mother liquors

Packagings

15 01 04 Metallic packaging

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 **UN number or ID number**

> ADR/RID/ADN UN 1950 **IMDG-Code** UN 1950 **ICAO-TI** UN 1950

14.2 **UN proper shipping name**

> ADR/RID/ADN **AFROSOLS IMDG-Code AFROSOLS**

ICAO-TI Aerosols, flammable

14.3 Transport hazard class(es)

> ADR/RID/ADN 2 (2.1) IMDG-Code 2.1 ICAO-TI 2.1

14.4 **Packing group** not assigned

14.5 **Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Page: 9 / 17 Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30 Replaces version of: 2020-02-04 (GHS 1)

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Additional information

Classification code 5F Danger label(s) 2.1



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 190, 327, 344, 625

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D

International Maritime Dangerous Goods Code (IMDG) Additional information

Marine pollutant yes (hazardous to the aquatic environment) (Solvent Naphta)

Danger label(s) 2.1, fish and tree

2

Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR) Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 2.1



Special provisions (SP) A145, A167 Excepted quantities (EQ) E0 Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

This product is regulated by Regulation (EU) No 2019/1148: All suspicious transactions as well as the loss and theft of significant quantities must be reported to the competent authority.

Explosives precursors which are subject to restrictions									
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of li- censing un- der Article 5(3)				
acetone	67-64-1	Annex II							

Legend

annex II Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

Germany: en Page: 10 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30 Replaces version of: 2020-02-04 (GHS 1)

Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
aliphatic hydrocarbons	30 % and more

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water

2 obviously hazardous to water

hazard class)

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentra- tion	Notation
5.2.5	organic substances		≥ 25 wt%	0.5 ^{kg} / _h	50 ^{mg} / _{m³}	3)

Notation

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.1	Trade name: SRODEK DO USUWANIA OLEJU W SPRAYU - 500 ml	Trade name: PROMAT CHEMICALS ÖLENTFERNER - 500 ml	yes
1.1		Unique formula identifier (UFI): 2880-S02Q-7009-AQPP	yes
1.2	Uses advised against: do not use for products which come into contact with foodstuffs		yes
1.3	Details of the supplier of the safety data sheet: Nordwest Handel AG Robert-Schuman-Str. 17 44263 Dortmund Germany Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 Website: www.nordwest.com	Details of the supplier of the safety data sheet: NORDWEST Handel AG Robert-Schuman-Straße 17 44263 Dortmund Germany Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 e-mail: sdb@nordwest.com Website: www.nordwest.com	yes
1.3	e-Mail (competent person): sdb@nordwest.com		yes
1.3		e-mail (competent person): sdb@nordwest.com	yes
1.4		Poison centre: change in the listing (table)	yes
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of H-phrases: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes

Germany: en Page: 11 / 17

³⁾ a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

according to Regulation (EC) No. 1907/2006 (REACH)



Revision: 2021-03-30

4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Replaces version of: 2020-02-04 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements: change in the listing (table)	yes
2.3	Other hazards: Do not mix different cleaners.	Other hazards: of no significance	yes
3.1		Substances: Not relevant (mixture)	yes
3.2		Hazardous ingredients acc. to EU regulation: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
4.1	Following skin contact: Wash with plenty of soap and water. Take off contaminated clothing.	Following skin contact: Wash with plenty of soap and water.	yes
4.1	Following ingestion: Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.	Following ingestion: Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.	yes
6.3	Advice on how to clean up a spill: Collect spillage (universal binder).		yes
7.2	Incompatible substances or mixtures: Observe hints for combined storage.		yes
7.2	Consideration of other advice: Observe instructions for use. Keep out of reach of children.		yes
7.2	Packaging compatibilities: Only packagings which are approved (e.g. acc. to ADR) may be used.	Packaging compatibilities: Keep only in original container.	yes
7.2		Storage class (LGK) TRGS 510: LGK 2 B (aerosol dispensers and lighters)	yes
8.1	National limit values		yes
8.1	Occupational exposure limit values (Workplace Exposure Limits)		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1	Biological limit values		yes
8.1		Biological limit values: change in the listing (table)	yes
8.1	Relevant DNELs/DMELs/PNECs and other threshold levels		yes
8.1	• relevant DNELs of components of the mixture		yes
8.1	• relevant PNECs of components of the mixture		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
8.2	Individual protection measures (personal protective equipment): eye protection must be worn safety gloves must be worn do not eat or drink	Individual protection measures (personal protective equipment): eye protection must be worn safety gloves must be worn do not eat or drinkPersonal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.	yes
9.1	Appearance		yes
9.1	Odour: characteristic		yes
9.1	Other physical and chemical parameters		yes

Germany: en Page: 12 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Replaces version of: 2020-02-04 (GHS 1)

Revision: 2021-03-30

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
9.1	Melting point/freezing point: -159.4 °C not applicable (aerosol)	Melting point/freezing point: -159.4 °C	yes
9.1	Explosive limits	Lower and upper explosion limit: 1 vol% - 15 vol%	yes
9.1	• lower explosion limit (LEL): 1 vol%		yes
9.1	• upper explosion limit (UEL): 15 vol%		yes
9.1		Decomposition temperature: not relevant	yes
9.1		pH (value): not applicable (aerosol)	yes
9.1		Kinematic viscosity: not relevant	yes
9.1	Partition coefficient		yes
9.1	n-octanol/water (log KOW): This information is not available.		yes
9.1	Auto-ignition temperature: 264 °C (auto-ignition temperature (liquids and gases))		yes
9.1	Viscosity: not relevant (aerosol)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Density and/or relative density	yes
9.1	Density: 0.7001 ^g / _{ml} (calculated value)	Density: 0.7001 ^g / _{ml} (calculated value)no data available	yes
9.2	Other information: There is no additional information.	Other information	yes
9.2		Information with regard to physical hazard classes: there is no additional information	yes
9.2		Other safety characteristics	yes
9.2		Temperature class (EU, acc. to ATEX): T3 (maximum permissible surface temperature on the equipment: 200°C)	yes
9.2		Odour: characteristic	yes
10.4	Physical stresses which might result in a hazardous situation and have to be avoided: high temperatures		yes
11.1	Acute toxicity of components of the mixture		yes
11.1		Acute toxicity of components of the mixture: change in the listing (table)	yes
11.1	Summary of evaluation of the CMR properties: Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.		yes
11.1	Specific target organ toxicity (STOT)		yes
11.1		Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	yes
11.1		Carcinogenicity: Shall not be classified as carcinogenic.	yes
11.1		Reproductive toxicity: Shall not be classified as a reproductive toxicant.	yes
11.2		Information on other hazards: There is no additional information.	yes
12.1	Toxicity: Toxic to aquatic life with long lasting effects. Wassergefährdungsklasse, WGK (water hazard class) (WGK; Germany): 2 (obviously hazardous to water)	Toxicity: Acc. to 1272/2008/EC: Toxic to aquatic life with long lasting effects. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 2, obviously hazardous to water (Germany)	yes

Page: 13 / 17 Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)



Revision: 2021-03-30

4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Replaces version of: 2020-02-04 (GHS 1)

> Safety-rel-evant Section Former entry (text/value) Actual entry (text/value) 12.1 Aquatic toxicity (acute) ves 12.1 Aquatic toxicity (acute) of components of the mixture yes Aquatic toxicity (acute) of components of the mixture: change in the listing (table) 12.1 yes Aquatic toxicity (chronic): May cause long-term adverse effects in the aquatic environ-ment. 12.1 yes 12.1 Aquatic toxicity (chronic) of components of the mixture yes 12.2 Degradability of components of the mixture yes 12.3 Bioaccumulative potential of components of the mixture yes 12.1 Aquatic toxicity (chronic) of components of the mixture: change in the listing (table) yes Degradability of components of the mixture: change in the listing (table) 122 yes Bioaccumulative potential of components of the mixture: change in the listing (table) 12.3 ves List of wastes: 16 05 04* gases in pressure containers (including halons) containing dangerous substances 15 01 10* packaging containing residues of or contaminated by dangerous substances 13.1 List of wastes, (Recommendations) yes 13.1 Product: 07 07 04* Other organic solvents, washing liquids and mother liyes Product residues:
> 16 05 04* Gases in pressure containers (including halons) containing hazardous substances
> 07 07 04* Other organic solvents, washing liquids and mother 13.1 Packagings: 15 01 04 Metallic packaging 13.1 14.1 UN number: 1950 UN number or ID number yes ADR/RID/ADN: UN 1950 14 1 yes 14.1 IMDG-Code: UN 1950 yes 14.1 yes UN proper shipping name: AEROSOLS 14.2 UN proper shipping name yes 14.2 ADR/RID/ADN: AEROSOLS yes 14.2 IMDG-Code: AEROSOLS yes 14.2 ICAO-TI: Aerosols, flammable yes 14.3 Class: 2 (gases) (aerosol) yes 14.3 Subsidiary risk(s): 2.1 (flammability) ADR/RID/ADN: 2 (2.1) 14.3 yes 14.3 IMDG-Code: 2.1 yes 14.3 yes 14.4 Packing group: not assigned Packing group: not assigned to a packing group yes Environmental hazards: hazardous to the aquatic environment 14.5 Environmental hazards yes 14.7 UN number: 1950 yes

Germany: en Page: 14 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



Revision: 2021-03-30

4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Replaces version of: 2020-02-04 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
14.7	Proper shipping name: AEROSOLS		yes
14.7	Class:		yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7	UN number: 1950		yes
14.7	Proper shipping name: AEROSOLS		yes
14.7	Class: 2.1		yes
14.7		Marine pollutant: yes (hazardous to the aquatic environment) (Solvent Naphta)	yes
14.7	Danger label(s): 2.1	Danger label(s): 2.1, fish and tree	yes
14.7	UN number: 1950		yes
14.7	Proper shipping name: Aerosols, flammable		yes
14.7	Class: 2.1		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7		Danger label(s): change in the listing (table)	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Restrictions according to REACH, Annex XVII: change in the listing (table)	yes
15.1	Directive 75/324/EEC relating to aerosol dispensers		yes
15.1	Classification of the gas/aerosol: extremely flammable		yes
15.1	Labelling: keep out of reach of children pressurized container: may burst if heated keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking do not pierce or burn, even after use protect from sunlight. Do not expose to temper- atures exceeding 50 °C/122 °F		yes
15.1	Net contents by volume: 500 ml		yes
15.1	 Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive) 		yes
15.1		Maximum VOC content limit: change in the listing (table)	yes
15.1	Regulation 648/2004/EC on detergents		yes
15.1		Labelling of contents: change in the listing (table)	yes
15.1		Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explos- ives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013: This product is regulated by Regulation (EU) No 2019/1148: All suspicious transactions as well as the loss and theft of signific- ant quantities must be reported to the competent authority.	yes
15.1		Explosives precursors which are subject to restrictions: change in the listing (table)	yes
15.1		Regulation 648/2004/EC on detergents	yes
15.1		Labelling of contents: change in the listing (table)	yes
15.1	• Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)		yes

Germany: en Page: 15 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Revision: 2021-03-30

Replaces version of: 2020-02-04 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
15.1	Storage class (LGK): 2 B (aerosol dispensers and lighters)		yes
15.1	National inventories		yes
15.1		National inventories: change in the listing (table)	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16	Key literature references and sources for data: - Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU - Regulation (EC) No. 1272/2008 (CLP, EU GHS)	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU Transport of dan- gerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dan- gerous Goods Regulations (DGR) for the air transport (IATA).	yes

Abbreviations and acronyms

Abbr. Descriptions of used abbreviations.

2000/39/EC. 2017/164/EU.

ADN.

ADR.

ADR/RID/ADN

AGW.
Aquatic Chronic.
Asp. Tox.
BCF.
BOD.
CAS.
Ceiling-C.
CLP.
COD.
DFG.

DGR. DNEL. EC50.

EC No.

EINECS.

EmS. ErC50.

Eye Dam.
Eye Irrit.
Flam. Gas.
Flam. Liq.
GHS.
IATA.
IATA/DGR.
ICAO.
ICAO.
II.
IMDG.
IMDG-Code.
Index No.
IOELV.
LC50.

LGK.

Log KOW. NLP.

PBT. PNEC.

Ppm. Press. Gas. REACH. RID.

val.
Lagerklasse (storage class according to TRGS 510, Germany).
n-Octanol/water.
No-Longer Polymer.
Persistent, Bioaccumulative and Toxic.
Predicted No-Effect Concentration.
Parts per million.
Gas under pressure.
Registration, Evaluation, Authorisation and Restriction of Chemicals.
Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail).
Corrosive to skin.
Irritant to skin.
Irritant to skin.
Short-term exposure limit.

Skin Corr. Skin Irrit.

STEL. STOT SE.

Irritant to skin.
Short-term exposure limit.
Specific target organ toxicity - single exposure.
Substance of Very High Concern.
Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany).
Arbeitsplatzgrenzwerte (TRGS 900).
Biologische Grenzwerte (TRGS 903).
Time-weighted average.
Very Persistent and very Bioaccumulative. STOT SE. SVHC. TRGS. TRGS 900. TRGS 903. TWA. VPvB.

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Page: 16 / 17 Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)



4000 354650 - PROMAT CHEMICALS ÖLENTFERNER - 500 ml

Version number: GHS 2.0 Replaces version of: 2020-02-04 (GHS 1) Revision: 2021-03-30

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Extremely flammable gas.
Extremely flammable aerosol.
Highly flammable liquid and vapour.
Pressurised container: May burst if heated.
Contains gas under pressure; may explode if heated.
May be fatal if swallowed and enters airways.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Toxic to aquatic life with long lasting effects. H220. H222. H225. H229. H280. H304. H315. H319. H336. H411.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Page: 17 / 17 Germany: en