

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name PROMAT CHEMICALS INDUSTRIEREINIGER

Unique formula identifier (UFI) P800-U0RP-S00K-10KV

Article number 4000 355711 (5 Ltr.) 4000 355712 (10 Ltr.)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

General use Washing and cleaning product

Uses advised against Do not use for squirting or spraying. Do not use for products which come into direct

contact with the skin.

1.3 Details of the supplier of the safety data sheet

NORDWEST Handel AG Robert-Schuman-Straße 17 44263 Dortmund Germany

Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 e-mail: sdb@nordwest.com Website: www.nordwest.com

e-mail (competent person) sdb@nordwest.com

1.4 Emergency telephone number

Poison centre							
Country	Name	Postal code/city	Telephone				
Austria	Vergiftungsinformationszentrale (VIZ)		+43 (0)1 406 43 43				
Germany	Gemeinsamen Giftinformationszentrum (GGIZ) der Laender Mecklenburg-Vorpommern, Sach- sen, Sachsen-Anhalt und Thueringen c/o HE- LIOS Klinikum Erfurt	99089 Erfurt	+49-361-730730				
Switzerland	Tox Info Suisse		+145, 24h oder +41 44 251 51 51				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	on Hazard class		Hazard class and cat- egory	Hazard state- ment	
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314	
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318	

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Pictograms danger

GHS05

Hazard statements

H314 Causes severe skin burns and eye damage.

Germany: en Page: 1 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Replaces version of: 2023-11-13 (GHS 8) Revision: 2024-02-22

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 P271 Keep out of reach of children.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/.... P280

P302+P352 P305+P351+P338 IF ON SKIN: Wash with plenty of water/... IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332+P313 P337+P313 If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Child-resistant fastening Tactile warning of danger yes

Amides, coco alkyl, N-(hydroxyethyl), ethoxylated, Alcohols, C9-11 ethoxylated, < 2.5 EO, potassium hydroxide **Hazardous ingredients for labelling**

Other hazards 2.3

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Identifier	Name of substance	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits
CAS No 68425-44-5	Amides, coco alkyl, N-(hydroxyethyl), ethoxylated	1-<5	Eye Dam. 1 / H318			
EC No 500-211-2	etrioxylateu					
CAS No 68439-46-3	Alcohols, C9-11 eth- oxylated, < 2.5 EO	1-<5	Eye Dam. 1 / H318			
REACH Reg. No 01-2119980051- 45-xxxx						
CAS No 112-34-5	2-(2- butoxyethoxy)ethan- ol	1-<5	Eye Irrit. 2 / H319		GHS-HC IOELV	
EC No 203-961-6	OI					
Index No 603-096-00-8						
REACH Reg. No 01-2119475104- 44-xxxx						
CAS No 1310-58-3	potassium hydroxide	< 1	Acute Tox. 4 / H302 Skin Corr. 1A / H314		GHS-HC	Skin Corr. 1A; H314: C ≥ 5 %
EC No 215-181-3			Eye Dam. 1 / H318			Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315:
Index No 019-002-00-8						0.5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 %
REACH Reg. No 01-2119487136- 33-xxxx						Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %

Notes

GHS-Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Page: 2 / 11 Germany: en



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22

Replaces version of: 2023-11-13 (GHS 8)

Hazardous ingredients, Specific Conc. Limits, M-factors, ATE								
Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route				
potassium hydroxide	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	-	500 ^{mg} / _{kg}	oral				

Remarks

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Germany: en Page: 3 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22

Replaces version of: 2023-11-13 (GHS 8)

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.

Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

frost

Packaging compatibilities

Keep only in original container.

Storage class (LGK) TRGS 510

LGK 8 B (non-combustible corrosive materials (except only corrosive to metals))

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceiling- C [ppm]	Ceiling- C [mg/ m³]	Nota- tion	Source
DE	2-(2- butoxyethoxy)eth- anol	112-34-5	AGW	10	67	15	100.5			va, Y	TRGS 900
EU	2-(2- butoxyethoxy)eth- anol	112-34-5	IOELV	10	67.5	15	101.2				2006/ 15/EC

Notation

TWA

Ceiling-C ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

va a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the bio-

logical limit value (BGW) are adhered to

Relevant DNELs of components									
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	DNEL	2,080 mg/kg	human, dermal	worker (industry)	chronic - systemic ef- fects			
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	DNEL	294 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects			
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	101.2 mg/m ³	human, inhalatory	worker (industry)	acute - local effects			

Germany: en Page: 4 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

Dalamant DNFI - of -----

Relevant DNELs of components										
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects				
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	83 mg/kg	human, dermal	worker (industry)	chronic - systemic effects				
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects				
potassium hydroxide	1310-58-3	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects				

Relevant PNECs of components

The state of the s								
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time		
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	0.1038 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)		
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	0.1038 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)		
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	1.4 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)		
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	13.7 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)		
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	13.7 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)		
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Alcohols, C9-11 eth- oxylated, < 2.5 EO	68439-46-3	PNEC	0.014 ^{mg} / _l	aquatic organisms	water	intermittent release		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	1.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.11 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	4.4 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	56 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.32 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	11 ^{mg} / _l	aquatic organisms	water	intermittent release		

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)







Personal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Germany: en Page: 5 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Type of material

NR: natural rubber, latex, FKM: fluoro-elastomer

Breakthrough times of the glove material

>480 minutes (permeation: level 6)

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state liquid Colour red

Odour characteristic Melting point/freezing point not determined Boiling point or initial boiling point and boiling range 95 °C at 1.013 bar

non-combustible

Flammability Lower and upper explosion limit not determined Flash point not determined

Auto-ignition temperature 210 °C **Decomposition temperature** not relevant pH (value) 13.5 (20 °C) (base) **Kinematic viscosity** not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water this information is not available

(log value)

Vapour pressure 0.023 bar at 20 °C

Density and/or relative density

Density 0.999 g/ml (calculated value)

information on this property is not available Relative vapour density

9.2 Other information

Information with regard to physical hazard classes acc. to GHS (physical hazards): not relevant

hazard classes

Other safety characteristics

Completely miscible with water.

Temperature class (EU, acc. to ATEX) T3 (maximum permissible surface temperature on the equipment: 200°C)

Page: 6 / 11 Germany: en



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components							
Name of substance	CAS No	Exposure route	ATE				
potassium hydroxide	1310-58-3	oral	500 ^{mg} / _{kg}				

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

Germany: en Page: 7 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes, (Recommendations)

Product

20 01 29* Detergents containing hazardous substances

Product residues

15 01 10* Packaging containing residues of or contaminated by hazardous substances

Packagings

15 01 02 Plastic packaging

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 1719
IMDG-Code UN 1719
ICAO-TI UN 1719

14.2 UN proper shipping name

ADR/RID/ADN

CAUSTIC ALKALI LIQUID, N.O.S.

IMDG-Code

CAUSTIC ALKALI LIQUID, N.O.S.

ICAO-TI

Caustic alkali liquid, n.o.s.

Technical name (hazardous

ingredients)

trisodium nitrilotriacetate, Kaliumhydroxid

14.3 Transport hazard class(es)

ADR/RID/ADN 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group

ADR/RID/ADN III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

Germany: en Page: 8 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Additional information

Classification code C5
Danger label(s) 8

Special provisions (SP) 274
Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) E
Hazard identification No 80

International Maritime Dangerous Goods Code (IMDG) Additional information

Marine pollutant Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

EmS

Stowage category

Segregation group

223, 274

E1

F1

F2

F3

F4

F-A, S-B

A

Segregation group

18 - Alkalis

International Civil Aviation Organization (ICAO-IATA/DGR) Additional information

Danger label(s) 8



Special provisions (SP) A3
Excepted quantities (EQ) E1
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

none of the ingredients are listed

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)							
Name of substance	CAS No	Listed in	Remarks				
potassium hydroxide		a)					

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Germany: en Page: 9 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

Regulation 648/2004/EC on detergents

Regulation o 10/200 % 20 on actergents	
Labelling of contents	
Constituents	Weight % content (or range)
non-ionic surfactants	less than 5 %

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water

1 slightly hazardous to water

hazard class)

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentra- tion	Notation
5.2.5	organic substances		5 – < 10 wt%	0.5 ^{kg} / _h	50 ^{mg} / _{m³}	3)

Notation

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed

Legend

REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
3.2		Hazardous ingredients, Specific Conc. Limits, M- factors, ATE: change in the listing (table)	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16.	yes
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not con- tain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not con- tain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

Germany: en Page: 10 / 11

³⁾ a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)



according to Regulation (EC) No. 1907/2006 (REACH)

4000 355711 (5 Ltr.) - 4000 355712 (10 Ltr.) - PROMAT CHEMICALS INDUSTRIEREINIGER

Version number: GHS 9.0 Revision: 2024-02-22 Replaces version of: 2023-11-13 (GHS 8)

Abbreviations and acronyms

Descriptions of used abbreviations. Abbr.

Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Acute toxicity. 2006/15/EC.

Acute Tox.

ADR.

ADR/RID/ADN

and amending Directives 91/322/EEC and 2000/39/EC.
Actute toxicity.
Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways).
Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road).
Accord relatif au transport international Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN).
Workplace exposure limit.
Acute Toxicity Estimate.
Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).
Ceiling value.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Dangerous Goods Regulations (see IATA/DGR).
Derived No-Effect Level.
The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union).
European Inventory of Existing Commercial Chemical Substances.
European List of Notified Chemical Substances.
European List of Notified Chemical Substances.
European List of Notified Chemical Substances. ADR/RID/AGW.
ATE.
CAS.
Ceiling-C.
CLP.
DGR.

DNEL. EC No.

ED. EINECS. ELINCS.

EmS.

EmS.
Eye Dam.
Eye Irrit.
GHS.
IATA.
IATA/DGR.
ICAO-TI.
IMDG.
IMDG-Code.
Index No.
IOELV.
LGK.
NLP.
PBT.

European List of Notified Chemical Substances.
Emergency Schedule.
Seriously damaging to the eye.
Irritant to the eye.
"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.
International Air Transport Association.
Dangerous Goods Regulations (DGR) for the air transport (IATA).
International Civil Aviation Organization.
Technical instructions for the safe transport of dangerous goods by air.
International Maritime Dangerous Goods Code.
International Maritime Dangerous Goods Code.
International Maritime Dangerous Goods Code.
The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008.
Indicative occupational exposure limit value.
Lagerklasse (storage class according to TRGS 510, Germany).
No-Longer Polymer.
Persistent, Bioaccumulative and Toxic.
Predicted No-Effect Concentration.
Parts per million.

PBT. PNEC.

Ppm. REACH.

Predicted No-Effect Concentration.
Parts per million.
Registration, Evaluation, Authorisation and Restriction of Chemicals.
Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail).
Corrosive to skin. RID.

Skin Corr. Irritant to skin.

Irritant to skin.
Short-term exposure limit.
Substance of Very High Concern.
Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).
Arbeitsplatzgrenzwerte (TRGS 900).
Time-weighted average.
Very Persistent and very Bioaccumulative.

Skin Corr. Skin Irrit. STEL. SVHC. TRGS. TRGS 900. TWA. VPvB.

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

H302.

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Germany: en Page: 11 / 11